AMENDMENTS TO THE CLAIMS

The following listing of claims will replace all prior versions and listings of claims in the application.

LISTING OF CLAIMS

1-17. (Cancelled)

- 18. (Currently Amended) The compressor assembly of Claim 44-46 wherein said system master can modify said <u>image of said stored</u> compressor configuration information.
- 19. (Currently Amended) The compressor assembly of Claim 44-46 further comprising a sensor in communication with said compressor, said sensor providing a signal to said control block indicative of an operating characteristic of said compressor, said system master receiving said signal from said control block.
- 20. (Currently Amended) The compressor assembly of Claim 44-46 further comprising a plurality of sensors in communication with said compressor, each of said plurality of sensors providing a signal to said control block indicative of an operating characteristic of said compressor.
- 21. (Previously Presented) The compressor assembly of Claim 20 wherein said control block creates an event history from said signals of said sensors.

- 22. (Previously Presented) The compressor assembly of Claim 21 wherein said event history is provided to said system master from said control block.
- 23. (Currently Amended) The compressor assembly of Claim 44-46 wherein said <u>image of said stored</u> compressor configuration information includes a model number of said compressor.
- 24. (Currently Amended) The compressor assembly of Claim 44-46 wherein said stored image of said compressor configuration information includes a serial number of said compressor, a refrigerant code for said compressor and an oil code for said compressor.
- 25. (Currently Amended) The compressor assembly of Claim 44-46 wherein said stored-image of said compressor configuration information includes at least one pressure limit, at least one temperature limit and at least one time limit.
- 26. (Currently Amended) The compressor assembly of Claim 44-46 wherein said control block includes a microprocessor.
- 27. (Previously Presented) The compressor assembly of Claim 26 wherein said microprocessor functions as a gateway for communicating with said system master.

- 28. (Previously Presented) The compressor assembly of Claim 26 wherein said microprocessor controls communication between said control block and said system master.
- 29. (Currently Amended) The compressor assembly of Claim 44-46 wherein said control block includes a memory device to store <u>said image of said compressor</u> configuration information.
- 30. (Currently Amended) The compressor assembly of Claim 44-46 wherein said system master selectively controls said control block.

31. (Cancelled)

- 32. (Currently Amended) The compressor assembly of Claim 44-46 wherein said system master is operable to initially configure said compressor by sending said image of said compressor configuration information to said control block.
- 33. (Currently Amended) The compressor assembly of Claim 44<u>46</u>, further comprising the plurality of sensors integrated internally into said shell of said compressor and in communication with said control block.
- 34. (Currently Amended) The compressor assembly of Claim 44-46 wherein said control block includes a vibration sensor.

- 35. (Cancelled)
- 36. (Currently Amended) The compressor assembly of Claim 45-47 wherein said system master is operable to initially configure said compressor by sending said image of said compressor configuration information to said control block.
- 37. (Currently Amended) The compressor assembly of Claim 45-50 wherein said control block includes a vibration sensor to sense said vibration.
- 38. (Currently Amended) The compressor assembly of Claim 45-47 wherein said system master is operable to modify said stored image of said compressor configuration information.
- 39. (Currently Amended) The compressor assembly of Claim 45 47 wherein said control block is operable to create an event history from said compressor operating parameters parameter.
- 40. (Previously Presented) The compressor assembly of Claim 39 wherein said event history is communicated to said system master from said control block.
- 41. (Currently Amended) The compressor assembly of Claim 45-47 wherein said stored-image of said compressor configuration information includes at least one of

a serial number of said compressor, a model number of said compressor, a refrigerant code for said compressor, or an oil code for said compressor.

- 42. (Currently Amended) The compressor assembly of Claim 45-47 wherein said stored-image of said compressor configuration information includes at least one of a pressure limit, a temperature limit and a time limit.
- 43. (Currently Amended) The compressor assembly of Claim 45 47 wherein said system master is operable to selectively control said control block.

44-45. (Cancelled)

46. (New) A compressor assembly comprising:

a shell;

a compression mechanism disposed in said shell;

a motor driving said compression mechanism; and

a control block storing an image of compressor configuration information that is copied to a system master operable to transmit a copy of said image back to said control block.

47. (New) A compressor assembly comprising:

a shell;

a compression mechanism in said shell;

a motor driving said compression mechanism;

a plurality of sensors monitoring an operating parameter of at least one of said motor and said compression mechanism;

a control block including a microprocessor and a memory, said memory storing an image of compressor configuration information; and

a system master in communication with said control block to receive and store said image of compressor configuration information.

- 48. (New) The compressor assembly of Claim 47 wherein said microprocessor controls communication of said image between said control block and said system master.
- 49. (New) The compressor assembly of Claim 47 wherein said control block is mounted on said shell.
- 50. (New) The compressor assembly of Claim 47 wherein said operating parameter includes vibration.
- 51. (New) The compressor assembly of Claim 46 wherein said control block is mounted on said shell.